

CITY TREES, NATURE AND PHYSICAL ACTIVITY: A RESEARCH REVIEW

By: Kathleen L. Wolf, Ph.D.
Arborist News, February 2008, Vol. 17, No. 1, pp. 22-24

The purpose of this article is to provide an overview of research concerning trees and their impact on public health. It focuses on the role that trees and other elements in nature play in encouraging physical activity.

A Health Crisis!¹

In the past 30 years, the number of overweight and obese people has increased sharply for adults and children alike. According to the U.S. Centers for Disease Control and Prevention (CDC), 65 percent of U.S. adults are overweight. One in three is considered obese. Being overweight boosts risk of chronic diseases such as heart disease, high blood pressure, stroke, Type II diabetes, arthritis and certain kinds of cancer.

The prolonged illnesses and disabilities associated with chronic diseases decrease the quality of life for millions of people in the United States. Chronic diseases account for 300,000 premature deaths annually, and contribute to five of the six leading causes of death in the United States. The CDC estimates that U.S. obesity-related medical costs were \$75 billion in 2003.

The Solution?^{2 3 4}

Much of the chronic disease burden is preventable. Regular physical activity and healthy eating are essential. Physical activity need not be strenuous to be beneficial. Adults benefit from moderately intense physical activity, such as 30 minutes of brisk walking most days of the week. Yet more than 50 percent of U.S. adults do not get enough physical activity to provide health benefits; 24 percent are not active at all in their leisure time. Activity decreases with age, and sufficient activity is less common among women than men, and among those with lower incomes and less education.

Earlier studies to explain low levels of physical activity emphasized demographic and household choice factors, but recent efforts show that the built environment influences behaviors. Certain elements within the outdoor environment generally encourage good choices. Table 1 lists the urban conditions that support greater activity.

Trees and nature are an important element of outdoor environments that support activity.⁵
⁶ Research shows positive relationships between natural environments and psychological or social benefits. This article will highlight the epidemiological studies that relate urban greenspace to activity and physiological health.

	Positive Elements
Physical Environment	higher population density (city core rather than suburbs) higher housing density mix of land uses (such as residential and retail) street design with more connectivity (rather than cul-de-sacs) availability of public transit walking and biking infrastructure (such as sidewalks and bike lanes)
Psycho-Social Environment	safety from crime safety from traffic absence of social disorder aesthetics (including trees and landscape) educational campaigns (such as Walk-to-School) incentive programs (such as work place reimbursement for transit use)

Table 1: Determinants of City Walkability

Activity Settings

Interest in strategies to promote physical activity has grown steadily. The CDC has launched multiple programs to create built places that can benefit populations of people rather than focusing on changing physical activity behavior one person at a time.⁷

The rapidly growing research base includes studies about city trees and nature. Some ask about how the presence of parks and nature enable walking. That is, are there adequate physical spaces within a community where activity can occur? Other studies explore a more subtle question: Given that activity spaces are available, what is the role of trees and nature in motivating people to be active?

Neighborhoods

A Netherlands study showed that residents of neighborhoods with abundant greenspace generally enjoy better general health. This positive link was found to be most apparent among the elderly, housewives, and people from lower socioeconomic groups.⁸

The character of neighborhoods also exerts significant affects on residents' physical activity; thus neighborhood design is becoming a public health issue.⁹ Once sidewalks and trails are in place, the presence of nature influences perception of and motivation for activity. In a study of European urban adults, residents of areas with the highest levels of greenery were three times as likely to be physically active and 40 percent less likely to be overweight or obese, than those living in the least green settings.¹⁰

Also, people make more walking trips to task destinations (such as stores or coffee shops) when they perceive that there are many natural features in their neighborhood, including street trees. In less green neighborhoods, people judge distances to be greater than they actually are,¹¹ perhaps leading to decisions not to walk.

Parks/Public Open Space^{12 13 14}

Table 2 is a list of the elements associated with park use. Not surprisingly, the evidence to date suggests that parks and open space support physical activity, particularly if there is easy

	Positive Elements
Physical Environment	quantity and quality of space passive recreation amenities (such as walking paths or picnic areas) absence of a physical barrier (such as a major road between the park and home) distance to park (up to 325 yards/300 meters is optimal ¹⁵) access to competing local facilities (such as recreation centers) level of park maintenance
Psycho-Social Environment	characteristics of potential users (age, gender, ethnicity, socioeconomic status) match between park attributes and perceived needs perceived barriers safety from crime aesthetic features (presence of trees, water, birdlife)

Table 2: Determinants of Park Use

access. One study found that people who use public open spaces are three times more likely to achieve recommended levels of physical activity than those who do not use the spaces. Users and potential users prefer nearby, attractive, and larger parks and open spaces.

To date few studies have tested for user response associated with varied vegetation character and management in parks, so the specific role of tree canopy is uncertain.

Trails

Trails can be found everywhere, from national and state parks to urban areas. In 2005, the Rails-to-Trails Conservancy counted 12,000 miles of trails. Future studies can help identify the features most likely to encourage active use by cyclists and pedestrians. Nonetheless, in one study, people showing stress response, measured as elevated blood pressure, were asked to take a long walk.¹⁶ Those who walked in a nature preserve showed a decline in blood pressure, while it increased for those walking in the urban environment. Also, subjects walking in the nature reserve showed increases in positive emotions, while those in the urban environment showed reduced levels.

Community Stewardship

Largely overlooked in research to date is the role of tree stewardship programs and health. Volunteer stewards of all ages who routinely tend trees or work on urban forestry projects are probably gaining health benefits. One way to measure physical exertion is the metabolic ratio of an activity versus rest conditions. Walking is a recommended moderate activity (a 3.5 exertion ratio). Stewardship activities produce exertion ratios ranging from 2.5 for mowing a lawn, to 4.5 for planting trees or shrubs (pruning or weeding), to 5.0 for digging in soil, to 6.0 for gardening with heavy tools or using a chain saw.¹⁷ Health benefits are possible when citizens help steward nearby parks, trails, and street trees.

Life Cycle

Another research perspective is the affect of nature on activity levels for people of various age groups. Urban elderly, youth, and people with a secondary education seem to benefit more from presence of green areas in their living environment than other groups.¹⁸

Children and Youth

Insufficient physical activity is not limited to adults. About two-thirds of U.S. young people in grades 9 through 12 are not engaged in recommended levels of physical activity. The number of overweight children aged 6 to 11 more than doubled in the past 20 years, going from 7 percent in 1980 to 18.8 percent in 2004. The rate among adolescents aged 12 to 19 more than tripled, increasing from 5 to 17.1 percent.¹⁹

Walk-to-School programs encourage children to be more active. Safety is an important issue. Studies of school walkability find that adjacent land use, walking time of day, and presence of sidewalks and trees were variables that parents considered when allowing their child to walk. Streets having sidewalks (5 feet wide) and a wide buffer with trees (8-foot tree lawn) tested highest for perceived safety by parents.²⁰

The availability of neighborhood facilities for physical activity may be particularly relevant for adolescents, who are unable to drive and whose activity is often limited to the distance they are able to walk or bicycle. Physical activity levels often decline substantially for girls as they go through puberty. A study found that girls participated in more non-school moderate activity if nearby parks had shaded areas. Girls' activity rates more than doubled in areas that are conducive to walking: miniparks, natural resource areas, walking paths, and tracks.²¹

Seniors

A remarkable study of senior citizens in Japan found that having space for taking walks and the presence of parks and tree-lined streets near the residence were significant predictors of higher survival over the following five years. Living in areas with walkable greenspaces positively influenced the longevity of urban senior citizens independent of their age, sex, marital status, baseline functional status, and socioeconomic status.²²

Another study of older adults revealed that longer visits to a park were associated with lower blood pressure than shorter visits.²³

The pace of physical activity is important: 30 to 60 minutes of fast walking several times a week has been shown to improve cognitive function in older people, particularly women.²⁴

It's All in the Mind

Studies show that the motivation to pursue nature and physical activity is complex. People in cities often feel stressed. If a person feels a need for a restorative experience then she is more likely to prefer a natural environment to take a walk, rather than a built environment.²⁵

People in large cities perceive themselves to be generally more healthy if a greater percentage of the living environment is greenspace,²⁶ are inclined to be more active, and claim the ability to relax faster.²⁷

Why does the presence of nature motivate people to be more active? The "biophilia hypothesis" claims that humans have an innate attraction to the outdoor environment due to our evolutionary background.²⁸ Many studies indicate the widespread aesthetic preferences that people have for trees, water and other natural elements. More directly, green areas in one's living

environment may ameliorate air pollution and urban heat island effects, creating more comfortable activity settings.²⁹

Partnership and Policy

Promoting public health has long been a guiding tenet of urban forestry and landscape design. It is surprising that, until recently, this tenet has been largely overlooked in public discussion of strategies for combating obesity.

Our society is relearning the importance of urban nature. It provides the impetus to get outdoors and move about. Further research is needed to clearly identify specific natural features and areas that will encourage people to engage in physical activity, and to address the needs of diverse populations.

City trees and green space are more than just a luxury and should be given more attention in urban planning and public health policies. A recent rash of studies confirms the essential role that trees and nature play. Green elements should be more directly included in the approaches of programs such as Active Community Environments (ACES), a major initiative of the Centers for Disease Control and the Robert Wood Johnson Foundation's innovative Active Living by Design.

As organizations and elected leaders address the public costs of sedentary lifestyles, arborists and urban foresters are in a unique position to partner and provide high value for public health investments.

Bio

Kathleen Wolf is a research social scientist at the University of Washington, Seattle. Her work focuses on the human dimensions of urban forests and ecosystems. Information about Dr. Wolf's research program can be found at www.cfr.washington.edu/research.envmind

¹ Centers for Disease Control Fact Sheet: Physical Activity and Good Nutrition: Essential Elements to Prevent Chronic Diseases and Obesity: www.cdc.gov/nccdphp/publications/aag/dnpa.htm

² Brennan Ramirez, L.K., C.M. Hoehner, R.C. Brownson, R. Cook, C.T. Orleans, M. Hollander, D. C. Barker, P. Bors, R. Ewing, R. Killingsworth, K. Petersmarck, T. Schmid, and W. Wilkinson. 2006. Indicators of activity-friendly communities: an evidence-based consensus Process. *American Journal of Preventive Medicine* 31, 6:515-524.

³ Brennan Ramirez et al. 2006.

⁴ Transportation Research Board (TRB). 2005. Does the Built Environment Influence Physical Activity?: Examining the Evidence. TRB Special Report 282. National Research Council, Washington, D.C.

⁵ Frumkin, H. 2003. Healthy places: exploring the evidence. *American Journal of Public Health* 93, 9:1451-1456.

⁶ Pretty, J., J. Peacock, M. Sellens, and M. Griffin. 2005. The mental and physical health outcomes of green exercise. *International Journal of Environmental Health Research* 15, 5:319-337.

⁷ Centers for Disease Control, Active Environments: www.cdc.gov/nccdphp/dnpa/physical/health_professionals/active_environments/index.htm

⁸ Maas, J., R.A. Verheij, P.P. Groenewegen, S. de Vries, and P. Spreeuwenberg. 2006. Green space, urbanity, and health: how strong is the relation? *Journal of Epidemiology and Community Health* 60:587-592.

-
- ⁹ Suminski, R.R., W.S. Carlos Poston, R.L. Petosa, E. Stevens, and L.M. Katzenmoyer. 2005. Features of the neighborhood environment and walking by U.S. adults. *American Journal of Preventive Medicine* 28, 2:149-155.
- ¹⁰ Ellaway, A., S. Macintyre, and X. Bonnefoy. 2005. Graffiti, greenery, and obesity in adults: secondary analysis of European cross sectional survey. *British Medical Journal* 331, 7517: 611-612.
- ¹¹ Tilt, J.H., T.M. Unfried, and B. Roca. 2007. Using objective and subjective measures of neighborhood greenness and accessible destinations for understanding walking trips and BMI in Seattle, Washington. *American Journal of Health Promotion* 21, 4: 371-379.
- ¹² Giles-Corti, B., M.H. Broomhall, M. Knuiaman, C. Collins, K. Douglas, K. Ng, A. Lange, and R.J. Donovan. 2005. Increasing walking: how important is distance to, attractiveness, and size of public open space? *American Journal of Preventive Medicine* 28:169-176.
- ¹³ Wells, N.M., S.P. Ashdown, E.H.S. Davies, F.D. Cowett, and Y. Yang. 2007. Environment, design, and obesity opportunities for interdisciplinary collaborative research. *Environment and Behavior* 39, 1:6-33.
- ¹⁴ Wells et al. 2007.
- ¹⁵ Harrison, C., J. Burgess, A. Millward, and G. Dawe. 1995. Accessible Natural Greenspace in Towns and Cities: A review of appropriate size and distance criteria. English Nature Research Report No.153. Peterborough, UK.
- ¹⁶ Hartig, T., G.W. Evans, L.D. Jamner, D.S. Davis, and T. Gärling. (2003). Tracking restoration in natural and urban field settings. *Journal of Environmental Psychology* 23:109-123.
- ¹⁷ Ainsworth, B.E., W.L. Haskell, A.S. Leon, D.R. Jacobs Jr., H.J. Montoye, J.F. Sallis, and R.S. Paffenbarger Jr. 1993. Compendium of physical activities: classification of energy costs of human physical activities. *Medicine and Science in Sports and Exercise* 25:71-80.
- ¹⁸ Maas et al. 2006.
- ¹⁹ Centers for Disease Control, Health Youth! www.cdc.gov/HealthyYouth/overweight/index.htm
- ²⁰ Naderi, J.R., and J.-H. Kim. 2006. Reconceiving typical standards for public space: implementing enhanced walking environments for children. In: *Shifting Ground, Proceedings of the CSLA/CELA 2006 Congress*.
- ²¹ Cohen, D.A., J.S. Ashwood, M.M. Scott, A. Overton, K.R. Evenson, L.K. Staten, D. Porter, T.L. McKenzie, and D. Catellier. 2006. Public parks and physical activity among adolescent girls. *Pediatrics* 118, 5: e1381-1389.
- ²² Takano, T., K. Nakamura, and M. Watanabe. 2002. Urban residential environments and senior citizens' longevity in mega-city areas: the importance of walkable green space. *Journal of Epidemiology and Community Health* 56, 12:913-916.
- ²³ Mowen, A. 2003. Community efforts, community health. *Parks and Recreation* 38, 5:36-39.
- ²⁴ Colcombe, S., and A.F. Kramer. 2003. Fitness effects on the cognitive function of older adults: a meta-analytic study. *Psychological Science* 14, 2:125-130.
- ²⁵ Staats, H., A. Kieviet, and T. Hartig, T. 2003. Where to recover from attentional fatigue: an expectancy-value analysis of environmental preference. *Journal of Environmental Psychology* 23:147-157.
- ²⁶ Maas et al. 2006.
- ²⁷ Payne, L., B. Orsega-Smith, G. Godbey, and M. Roy. 1998. Local parks and the health of older adults: results from an exploratory study. *Parks and Recreation* 33, 10:64-71.
- ²⁸ Kellert, S.R., and E.O. Wilson (eds.). 1993. *The Biophilia Hypothesis*. Island Press, Washington, D.C. 484 pp.
- ²⁹ Tzoulas, K., K. Korpela, S. Venn, V. Yli-Pelkonen, A. Kázmierczak, J. Niemela, and P. James. 2007. Promoting ecosystem and human health in urban areas using Green Infrastructure: a literature review. *Landscape and Urban Planning* 81:167-178.